

C

INDEX MAPS.

T. 36 N.R. 9 W. 2nd Mer.

	64		64		63		63		63		63	
66	6	80	5	78	4	75	3	72	2	69	1	62
	82		80		77		75		72		69	
65	7	80	8	77	9	74	10	72	11	68	12	62
	82		80		77		74		71		68	
65	18	79	17	77	16	74	15	71	14	68	13	61
	81		79		76		74		71		67	
65	19	79	20	76	21	74	22	70	23	67	24	61
	81		78		76		73		70		67	
65	30	78	29	76	28	73	27	70	26	67	25	61
	81		78		75		73		70		66	
64	31	78	32	75	33	72	34	69	35	66	36	62
	60		60		60		59		59		59	

T. 37 N.R. 9 W. 2nd Mer.

93	6	103	5	Lake Michigan.								
	105		103									
93	7	103	8	9	10	11	12	Meanders - 105				
	104		103	101								
93	18	103	17	100	16	15	14	13				
	104		102	100	98	97						
93	19	102	20	100	21	97	22	96	23	24		
	104		102	99		97	97	96				
92	30	102	29	99	28	97	27	95	26	94	25	
	104		101	99		96		95		94	91	
92	31	101	32	98	33	96	34	95	35	94	36	90
	90		90		89		89		89		89	

The figures on the lines refer to the page.

South Boundary

(Was 6° 10' E)

West on South Side Sec. 36
 24.50 Set post on left Bank of Grand Calumet River
 course S. E. from which
 @ Y. Oak 28 in. dia. bears N. 40 E. 205 Yds. dist.
 & @ " Do 10 " " " N. 51 E. 208 " "
 40.00 gr. Sec. corner in River,
 86.00 Cor. in River to Sec. 35 & 36
 Land first half level & 2nd rate. Timber Oak,

West on South Side Sec. 35
 32.50 Set post on Right Bank of Grand Calumet River from which,
 @ Y. Oak 18 in. dia. bears S. 59 E. 24 Yds. dist.
 & @ " Do 20 " " " S. 76 W. 44 " "
 40.00 Set Dy. Sec. post from which
 @ Y. Oak 9 in. dia. bears N. 51 E. 48 Yds. dist.
 & @ " Do 9 " " " N. 1/2 W. 57 " "
 57.33 To @ " Do 12 " "
 80.00 Set post cor. to Sec. 34 & 35 from which
 @ Y. Oak 10 in. dia. bears N. 51 E. 60 Yds. dist.
 & @ Y. Oak 9 " " " N. 66 W. 33 " "
 Land rolling & sandy. Soil good Timber Oak,

West on South Side Sec. 34
 40.00 Set Dy. Sec. post from which
 @ Y. Oak 12 in. dia. bears N. 18 E. 115 Yds. dist.
 No other,
 80.00 Set post cor. to Sec. 33 & 34 from which
 @ Y. Oak 10 in. dia. bears N. 57 E. 36 Yds. dist.
 & " " Do 10 " " " N. 44 1/2 W. 44 " "
 Land & Co. same,

West on South Side Sec. 33
 19.80 To @ Y. Oak 18 in. dia.
 40.00 Set Dy. Sec. post from which

T. 34 N. R. 9 W. 2nd Mer. Indiana

@ Y. oak 9 in. dia. bears N. 87 W. 49 lks. dist.
 & @ Y. oak 10 " " " S. 62 W. 65 " "
 59.71 To " Do 9 " "
 80.00 Set post cor. to Sect. 32 & 33 from which
 @ Y. oak 9 in. dia. bears N. 86 E. 56 lks. dist.
 & @ " Do 9 " " " N. 33 W. 48 " "
 Land & Co. Land,

West on South Side Sec. 32

22.38 To @ Y. oak 6 in. dia.
 40.00 Set Pr. Sec. post from which
 @ Y. oak 9 in. dia. bears N. 50 E. 70 lks. dist.
 & @ " Do 6 " " " N. 26 E. 39 " "
 64.00 To @ Brook 15 lks wide course N. W.
 80.00 Set post cor. to Sect. 31 & 32 from which
 @ Y. oak 10 in. dia. bears N. 4 W. 61 lks. dist.
 & @ " Do 18 " " " S. 36 W. 59 " "
 Land much the Land,

West on South Side Sec. 31

40.00 Set Pr. Sec. post from which
 @ Y. oak 10 in. dia. bears N. 51 E. 32 lks. dist.
 & @ " Do 9 " " " N. 23 W. 123 " "
 76.74 Intersect West Boundary 135 lks N. of Temporary ^{post}
 where set post cor. to T. 36 & 37 N. of R. 9 & 10 W. from wh.
 @ Y. oak 10 in. dia. bears S. 61 E. 24.5 lks. dist.
 & @ " Do 6 " " " N. 85 W. 165 " "
 Land and Co. Land,

Surveyed in in 1834 by
 Sylvester Sibley, Dep't. Sur.

East Boundary

(Cor. 6° 25' 8")

North on East Side Sec. 36

Begun in marsh
 9.00 Land marsh

T. 37 N. R. 9 W. 2nd Mer. Indiana, 91

- 35.78 To a Pine 12 inches in diameter
40.00 Set Dr. Sec. post from which
 @ pine 12 in. dia. bears N. 39 W. 10 lks. dist.
 & @ Y. Oak 9 " " " S. 59 W. 15 " "
80.00 Set post on to Sec. 25 & 36 from which
 @ pine 9 in. dia. bears S. 86 W. 62 lks. dist.
 & @ Do 8 " " " N. 29 W. 27 " "
Land level & wet Soil poor, Timber Pine oak &
Maple Ash &c,

North on East Side Sec. 25

- 30.50 Set post on Margin of Lake Michigan from which
 an Aspin 6 in. dia. bears S. 68 W. 180 lks. dist.
 " Do 10 " " " S. 26 E. 364 " "
Land &c. much as before
Surveyed March 5, 1834 by

Sylvester Sibley, Dep't. Sur,

North Boundary

- ~~West on South Side Sec. 36 to 38 N. 11. 10 W~~
~~Began on bank of Lake Michigan 3.75 N.~~
~~& 396 West from where the meander post on~~
~~Lake Michigan sets East Boundary Sec. 1 To~~
~~37 N. R. 10 West, where set post on Lake Michi-~~
~~gan from which~~
~~@ Y. Oak 14 in. dia. bears S. 49 E. 196 lks. dist.~~
~~10.31 Set post on Small Lake Margin from which~~
~~an Aspin 9 in. dia. bears N. 18 E. 140 lks. dist.~~
~~" Do 9 " " " S. 29 E. 41 " "~~
~~21.30 Set post on N. Side of Lake from which~~
~~@ Y. Oak 6 in. dia. bears N. 50 W. 41 lks. dist.~~
~~& an Aspin 6 " " " S. 82 W. 29 " "~~
~~40.00 Set Dr. Sec. post from which~~
~~@ Y. Oak 9 in. dia. bears N. 86 E. 413 lks. dist.~~
~~& @ Willow 3 " " " S. 80 E. 127 " "~~

Y. 37 N. R. 9 W. 2nd Sec. Indiana

47.00 Leave Marsh

55.00 Enter Do

65.50 To State line

in deep water no mound no bearings

Land flat & poor Timber oak,

Surveyed in 1834 by

Sylvester Sibley, Dep^y Secy

C. 111

West Boundary

Var. 6° 25' E,

North on East Side Sec. 36 T. 37 N. R. 10 W,

40.00 Set Dr. Sec. post from which

@ G. Oak 10 in. dia. bears S. 29 W. 97 Mo. dis^t

& @ G. Oak 10 " " " N. 6 1/2 W. 28 " "

52.86 Set post on Right Bank of Grand Calumet River course S. E. from which

@ G. Oak 24 in. dia. bears S. 49 E. 87 Mo. dis^t

& @ " Do 10 " " " S. 77 W. 123 " "

68.94 Set post on left Bank of River from which

@ G. Oak 12 in. dia. N. 71 E. 251 Mo. dis^t

& @ " Do 18 " " " N. 55 E. 258 " "

80.00 Set post cor. to Sec. 25 & 36 from which

@ G. Oak 12 in. dia. bears S. 31 W. 41 Mo. dis^t

& @ " Do 14 " " " N. 25 W. 40 " "

Land level & poor Timber oak & Mesquite about the stream

North on East Side Sec. 25 T. 37 N. R. 10 W,

40.00 Set Dr. Sec. post from which

@ G. Oak 9 in. dia. bears S. 6 W. 295 Mo. dis^t

& @ " Do 12 " " " N. 16 W. 73 " "

58.19 To @ G. Oak 12 " "

80.00 Set post cor. to Sec. 24 & 25 from which

@ G. Oak 18 in. dia. bears S. 5 W. 192 Mo. dis^t

& @ " Do 9 " " " S. 60 W. 124 " "

Land gently rolling Soil poor Timber oak,

North on East Side Sec 24 T. 37 N. R. 10 W.
 19.00 Enter Marsh.
 24.50 Set post on South margin of Lake from which
 @ W. Oak 10 in. dia. bears West 7.90 lbs. dist.
 No other,
 40.00 Dr. Sec. cor. in Lake
 80.00 Cor. to Sec 13 & 24 in Lake
 Land & C. much same South of Lake

North on East Side Sec. 13 T. 37 N. R. 10 W.
 40.00 Dr. Sec. cor. in Lake
 80.00 Cor. to Sec 12 & 13 in Lake, all Lake

North on East Side Sec. 12 T. 37 N. R. 10 W.
 30.95 Set post on N. Margin of Lake from which
 @ Maple 3 in. dia. bears N. 26 E. 21 lbs. dist.
 & @ Spruce 6 " " " N. 61 W. 17 " "
 40.00 Dr. Sec. cor. in deep Water,
 80.00 Set post cor. to Sec 1 & 12 from which
 @ W. Oak 6 in. dia. bears N. 62 1/2 E. 7.20 lbs. dist.
 No other,
 Land level & Marshy about Lake Timber a few
 Scattered oak in places,

North on East Side Sec. 1 T. 37 N. R. 10 W.
 35.00 Leave wet prairie
 40.00 Set Dr. Sec. post from which
 @ W. Oak 9 in. dia. bears N. 17 W. 4 lbs. dist.
 & " Do 12 " " " S. 7 W. 21 " "
 76.25 Set post on Margin of Lake Michigan cor. to T. 37 & 38
 N. R. 9 & West from which
 @ W. Oak 10 in. dia. bears N. 53 W. 58 lbs. dist.
 & @ W. Oak 18 " " " S. 9 E. 82 " "
 Land level & poor, N. 1/2 mostly wet prairie N. 1/2 sandy soil oak
 Surveyed March 4th 1834 by
 Sylvester Sibley, Dep't. Sur.

T. 37 N. — R. 9 W. 2nd Mer. Indiana.

S. No.

Subdivisions

Bar.

North Between Sec. 35 & 36 from cor. in River

4.00 Set meander post on N. Side of Calumie River from wh.

a Y. Oak 15 in. dia. bears N. 15 W. 274 lks. dist.

No other near,

23.54 To a Y. Oak 14 Indiana,

110.00 Set 4th Sec. post from which

a Y. Oak 12 in. dia. bears S. 53 1/2 W. 78 lks. dist.

+ a " Do 13 " " " S. 49 E. 90 " "

66.00 Impassable Marsh a Lake

50.00 Set post cor. to Sec. 25, 26, 35 & 36 in long Lake

Water 5 feet deep. from which

a Y. Pine 14 in. dia. bears N. 69 E. 55 lks. dist.

+ a Cedar 6 " " " N. 75 W. 100 " "

Alternate long Lakes, Pine & Cedar thickets

East on Random between Sec. 25 & 36

79.00 Anterior E. Boundary 12 lks North of post,

this line is in pine & Cedar Swamps Lakes & C,

Dense undergrowth Alder, Willow, prickly Ash & C,

West Correct line between Sec. 25 & 36

39.50 Set Dr. Sec. post from which

a Y. Pine 8 in. dia. bears N. 64 E. 37 lks. dist.

+ a " Do 10 " " " S. 54 W. 35 " "

79.00 Section corner,

North Between Sections 25 & 26

40.00 Set Dr. Sec. post from which

a Y. Pine 8 in. dia. bears S. 65 1/2 E. 55 lks. dist.

+ a " Do 6 " " " S. 28 W. 43 " "

71.00 To Margin of Lake Michigan ^{from post} from which

a Spruce 7 in. dia. bears S. 67 W. 250 lks. dist.

No other near,

Alternate Lakes & Swamps running nearly E. & W.

C. 1st, Entering evy 5 or 10 chains, the swamps densely covered with a scrubby undergrowth, Nov 15th 1884

North Between Sections 34 & 35

14.00 Entense of Right B. of Calumie R. where set me an a post from which

@ Y. Oak 12 in. dia. bears N. 15 E. 139 lbs. dist.

" @ " Do 14 " " " N. 14 W. 130 " "

20.59 Set me an a post on left Bank from which

@ Y. Oak 14 in. dia. bears N. 42 W. 85 lbs. dist.

@ " Do 20 " " " N. 61 E. 72 " "

The River here is 359 lbs. wide the Banks low & marshy

& no current

57.00 To an impassable marsh or Lake,

80.00 Set post cor. to Sec. 26, 27, 34 & 35 from which

@ W. Pine 40 in. dia. bears N. 36 E. 33 lbs. dist.

" @ an Aspin 10 " " " N. 69 1/2 W. 40 " "

" 1 1/2 Swamps & Lakes. N. 1/2 Wet barrens,

East on Random between Sec. 26 & 35

80.50 Entense of N. & S. line 50 lbs North of post

Alternate Lakes & Swamps, some grow a Pine & Cedar, dense thickets of undergrowth principally Gummes,

West Cor. of line between Sec. 26 & 35

40.25 Set Pr. Sec. post in Water 5 feet deep

80.50 Section corner,

North Between Sections 26 & 27

40.00 Set Pr. Sec. post from which

@ Birch 6 in. dia. bears N. 9 W. 12 lbs. dist.

" @ Do 6 " " " N. 16 1/2 - 20 " "

80.00 Set post cor. to Sec. 22, 23, 26 & 27 from which

@ W. Pine 6 in. dia. bears N. 36 W. 13 lbs. dist.

" @ Birch 5 " " " N. 22 E. 15 " "

Long Lakes, Swamps, very dense thickets so much so as to compel running & meandering in many places on the lake

Y 34 N. — R. 9 W. 3rd Mer. Indiana,

East on true line between Secs 23 & 26
 20.00 Set Dr. Sec. post from which
 a Y. Pine 6 in. dia, bears S. 7 E. 6 lks, dist^t
 & a " Do 6 " " " N. 2 W. 25 " "
 68.70 To Margin of Lake Michigan, where Set Meander post
 of pine 5 in. dia. bearing none near, this line
 similar to previous East line

North Between Sections 22 & 23
 40.00 Set Dr. Sec. post from which
 a Y. Pine 5 in. dia, bears S. 22 E. 23 lks. dist^t
 & a " Do 5 " " " S. 76 W. 25 " "
 41.00 To Lake Michigan where Set Meander post from which,
 a Y. Pine 6 in. dia, bears S. 12 E. 71 lks. dist^t
 & a " Do 4 " " " N. 69 W. 103 " "
 Lakes marshes dense thickets as usual Nov. 16, 1834

North Between Sections 33 & 34
 14.00 intersect right bank of River a Y. oak 18 in
 diameter for Meander post,
 27.18 left bank. where Set Meander post from which
 a Y. oak 20 in. dia, bears N. 4 W. 192 lks. dist^t
 no other near, the river here passes through
 a clear Lake 11 Ch. wide
 40.00 Set Dr. Sec. post from which
 a Y. oak 14 in. dia, bears N. 30 W. 48 lks. dist^t
 & a Y. oak 10 " " " S. 45 E. 38 " "
 56.60 To an Aspin 10 " "
 72.50 " " Impebble Lake
 80.00 Set post co. to Secs 27, 28, 33 & 34 from which
 a Y. Pine 4 in. dia, bears S. 44 W. 55 lks. dist^t
 no other near, this line similar to
 Previous North line

East on Random between Secs 27 & 34
 79.75 Intersect N. & S. line 25 lks North of post

6th, Generally this line runs in one of the many long, marshy Lakes of this Township, whose margins are covered with a thick growth of Tanipew Small Cedars
briars &c. &c.

West Correct line between Secs 27 & 28
39.87 Set Dr. Sec. post in line of Lake or Marsh.
79.95 Section Corner.

North Between Secs 27 & 28
40.00 Set Dr. Sec. post, from which, in Lake water 7 feet deep
a W. Pine 4 in. dia. bears N. 29 E. 100 lks. dist.
no other near.
80.00 Set post in N. Side of Lake cor. to Secs 21, 22, 27 & 28
a Cedar 5 in. dia. bears N. 59 E. 43 lks. dist.
no other near.
Lakes, Marshes & Swamps alternately arranged from
E. to W. Dense thickets intervening at every 5 or 10 lks.

East on Random between Secs 22 & 27
79.65 Intersect N. & S. line 50 lks. South of post. this line
similar to the preceding.

West Correct line between Secs 22 & 27
39.82 Set Dr. Sec. post in Lake, water 4 feet deep.
79.65 Section Corner, July, 12th 1836.

North Between Sections 21 & 22
40.00 Set Dr. Sec. post from which
a W. Pine 4 in. dia. bears N. 52 E. 14 lks. dist.
a " Do 4 " " " S. 10 W. 41 " "
80.00 Set post cor. to Secs 15, 16, 21 & 22 in Lake water
8 feet Deep, no bearings near, similar to
to previous North line Nov 17, 1834

East on Random between Secs 15 & 22

2, 37 N. - R. 9 N. 2nd Mer. Indiana

40.00 Set Cr. Sec. & meander post on margin of Lake Michigan from which
 @ Y. pine 6 in. dia. bears N. 86 W. 100 Mo. dist.
 no other near
 The West End of this line is marsh or Lake - the East
 half sand hills. Small pines Aspen &c.
 July 12, 1886

North Between Sections 15 & 16

40.00 Set Cr. Sec. post from which
 @ Y. Pine 8 in. dia. bears N. 75 E. 9 Mo. dist.
 & @ " Do 8 " " " West 3 " "
 50.00 To margin of Lake Michigan where Set
 meander post from which
 an Aspen 4 in. dia. bears S. 23 E. 33 Mo. dist.
 no other near, this line principally under
 water, dense thickets of small shrubbery

North Between Sections 32 & 33

8.31 To @ Y. oak 11 in. dia.
 27.00 Intersect Calumet Marsh
 29.00 Set meander post at margin of marsh R. bank from which
 @ Y. Oak 12 in. dia. bears S. 22 1/2 E. 1.50 Mo. dist.
 & @ " Do 14 " " " S. 12 1/2 W. 1.60 " "
 40.00 Dupl. c. cor. in Lake,
 44.50 To main Channel of River where Set meander
 post on left bank from which
 @ Y. Oak 14 in. dia. bears N. 3 E. 64 Mo. dist.
 & @ " Do 12 " " " N. 36 W. 77 " "
 The River here is 2 chains wide & on the S. side
 is a Lake or marsh 15 ch. wide in the inner
 bend of the River
 80.00 Set post cor. to Sec. 28, 29, 32, & 33 from which
 @ Y. Oak 12 in. dia. bears N. 5 W. 35 Mo. dist.
 & @ Y. Oak 10 " " " S. 13 1/2 E. 73 " "
 S. of River the Soil is 3rd rate N. Do W. & Y. oak

C. S. openings & concave,

East on Random between Sec 28 & 29

79.20 Antiseet N. & S. line 800 North of post, Swamp,
Lakes, & dense thickets of principally Ash, rose &
Bamboo brush, some tolerable G. Pine

West Correct line between Sec 28 & 29

39.60 Set on Sec. post in Lake from which
an Elm 4 in. dia. bears N. 53 E. 25 lks. dist.
no other near,

79.20 Section corner,

North Between Sections 28 & 29

40.00 Set on Sec. post from which

@ Poplar 8 in. dia. bears N. 11 1/2 E. 58 lks. dist.
& an Aspen 6 " " " N. 77 E. 50 " "

46.00 To impassable Lake

57.00 " @ Poplar 10 in. dia.

80.00 Set post Cor. to Sec 20, 21, 28 & 29 in Swamp fr. wh.
an Aspen 6 in. dia. bears S. 22 E. 18 lks. dist.
& " Ash 6 " " " N. 37 W. 17 " "

Long deep Lakes Resembling Rivers, intermingling at
every 5 or 10 chains, some of the ridges have
been well timbered which has been removed

January 26th 1855.

East on Random between Sec 21 & 28

79.81 Antiseet N. & S. line 13 lks. North of post,
This line in General runs in a long Lake from
2 to 5 chains in width

West Correct line between Sec 21 & 28

39.70 Set on Sec. post in Side of Lake, no bearings

79.81 Section corner, Feby, 13th 1856

G. 37 N. R. 9 T. 3rd Mer, Indiana,

North Between Sections 20 & 21
 9.90 To a poplar 36 in. dia,
 36.34 " a pine 10 " "
 40.00 Set of Sec. post from which
 an Aspin 4 in. dia, bears N. 10 W. 20 lks. dis.
 & a Do 16 " " " N. 16 W. 8 " "
 80.00 Set post cor. to Sec. 16, 17, 20 & 21 in Long Lake
 Water very deep, this line some Timber, Oak,
 Poplar Pine &c, upon the narrow ridges that
 intervene between the Long Lakes, the margins
 of the Lakes lined with dense thickets of small
 Shrubs

East on Random between Sec. 16 & 21
 79.69 Intersect N. & S. line 27 lks North of post, this
 line very similar to the preceding E. & W. line

West Corner line between Sec. 16 & 21
 39.84 Set Dr. Sec. post in Lake, no bearings,
 79.69 Section Corner, Feb. 13th, 1836,

North Between Sections 16 & 17
 40.00 Set Dr. Sec. post in Lake water deep & wide
 50.00 Set post cor. to Sec. 8, 9, 16 & 17 in dismal Swamp
 in water from which
 an Elm 4 in. dia, bears S. 87 W. 12 lks. dis.
 no other near, line entirely in Lakes
 dismal Swamps, dense thickets &c,

East Between Sections 9 & 16
 31.00 Enter barrens
 36.00 To Lake Michigan where set near a post from
 an Aspin 8 in. dia, bears S. 52 W. 78 lks. dis.
 no other near,
 Swamps, Lakes, barrens, &c,

North Between Sections 8 & 9

15.00 Enter barrens.

24.40 Enter at Lake Michigan where Set measure post from wh.
 @ Y. Oak 10 in. dia. bears S. 69 W. 34 lbs. dist.^t
 & @ Pine 10 " " " S. 7 E. 90 " "
 Swamp + poor Sand barrens.

North Between Sections 31 & 32

33.00 Enter at right bank of River where Set measure post from wh.
 @ Y. Oak 20 in. dia. bears S. 68 E. 87 lbs. dist.^t
 & @ " Do 20 " " " S. 12 W. 75 " "

35.50 To left Bank of River

40.00 Set Dr. Sec. post in marsh. no mound nor bearings

44.00 Set measure post at N. Margin of Lake a marsh from wh.
 @ Willow 8 in. dia. bears N. 49 W. 150 lbs. dist.^t
 No other near, the main Channel here
 is 250 Yds wide & the Lake in the N. inner bend
 is 8 chains.

50.00 Set post cor. to Sec. 29, 30, 31 & 32 from which
 @ Y. Oak 12 in. dia. bears N. 61 1/2 E. 72 lbs. dist.^t
 & @ Y. Oak 12 " " " N. 14 W. 100 " "
 on both Sides of the River poor Sand barrens W. &
 Y. Oak Long narrow Lakes or Meadows

East on Railroad between Sec. 29 & 32

79.70 Enter at N. & S. line 50 Yds North of post,
 barrens interspersed with long Swamps running E &
 W. forming the edge from a growth of Willow B,
 Alder Aspens &c.

West Corner at line between Sec. 29 & 32

39.85 Set Dr. Sec. post from which

@ B. Alder 4 in. dia. bears S. 75 W. 24 lbs. dist.^t
 & @ Do 4 " " " N. 15 E. 12 " "

79.70 Section Corner,

N. 37 N. — R. 9 W. 2nd Mer. Indian Co.

North Between Sections 29 & 30

25.00 Enter marsh under water

40.00 Set Dr. Sec. post in marsh water 6 inches deep

80.00 Set post cor. to Secs 19, 20, 29 & 30 from which
 a W. Birch 10 in. dia. bears S. 77 E. 164 lks. dist.
 & a " Do 12 " " " N. 48 E. 186 " "
 S. 1/2 N. oak banners rough & poor N. 3/4 marsh
 under water from 4 to 10 feet deep,

East on Random between Secs 20 & 29

79.69 Intersect N. & S. line 6 lks. South of post. Marsh
 Lake & dense thickets of small Juniper Cedar
 Pine & birch,

West Correct line between Secs 20 & 29

39.84 Set Dr. Sec. post in dense thicket of Juniper
 no mound nor bearings,

79.69 Section Corner, July 14, 1886,

North Between Sections 19 & 20

40.00 Set Dr. Sec. post in marsh from which
 a Birch 6 in. dia. bears S. 10 E. 54 lks. dist.

& a Do 8 " " " N. 3 W. 25 " "

80.00 Set post cor. to Secs 17, 18, 19 & 20 from which
 a Birch 10 in. dia. bears S. 8 E. 39 lks. dist.
 & a Do 10 " " " N. 27 E. 27 " "
 Lake & Marsh under water throughout,

East on Random between Secs 17 & 20

79.30 Intersect N. & S. line 5 1/2 lks. South of post.
 Generally Marsh and Lake,

West Correct line between Secs 17 & 20

39.65 Set Dr. Sec. post in Lake no mound nor bearings

79.30 Section Corner, July 14, 1886,

North Between Sections 17 & 18
 40.00 Set g^t S. e. post in Lake water very deep
 78.00 Enter barrens
 80.00 Set post cor. to Sec 8, 7, 8, 17 & 18 in point of barrens from which
 @ G. Oak 5 in. dia. bears S. 57 E. 50 lks. dist.
 & @ W. Oak 14 " " " N. 57 W. 96 " "
 Whole line in a long Lake very deep,

East on Randon between Sec 8 & 17
 15.00 Leave barrens & Enter marsh
 77.39 Intersect N. & South line 74 lks North of post. Except
 15 chains at W. end this line all dismal swamps,
 Lakes, & thickets,

West Correct line between Sec 8 & 17
 38.67½ Set Dr. S. e. post on narrow Ridge from which
 @ G. Oak 10 in. dia. bears S. 8 W. 19 lks. dist.
 & @ B. Ash 8 " " " N. 22 E. 20 " "
 77.39 Section Corner,

North Between Sections 7 & 8
 40.00 Set g^t S. e. post from which
 an Aspin 6 in. dia. bears S. 6. 10 lks. dist.
 & @ W. Oak 5 " " " N. 46 W. 28 " "
 50.00 Set post cor. to Sec 8, 5, 6, 7 & 8 from which
 @ G. Oak 12 in. dia. bears S. 13. E. 57 lks. dist.
 & @ " Do 10 " " " N. 11 W. 28 " "
 Over bare barrens, dwarfed growth of
 Yellow Oak timber,

East Between Sections 5 & 8
 9.55 Intersect Lake Michigan, Aspin 10 inches
 diam, cor. and measured post, Sec 8 barrens,

North Between Sections 5 & 6
 7.75 Intersect Lake Michigan above last measured post

T. 37 N. R. 9 W. 2nd Mer. Indiana,

C. M. 10 Y. oak 12 in. dia. bears N. 56 W. 74 M. dist.
 & @ " Do 10 " " " S. 53 $\frac{1}{2}$ E. 79 " "
 Pon Sand barrens

West on Random between Sec. 30 & 31
 76.00 Intersect W. Boundary 3.68 M. N. of post from Mh,
 @ W. oak 18 in. dia. bears S. 85 E. 50 M. dist.
 & @ " Do 24 " " " N. 16 E. 77 " "
 4 Y. & W. oak barrens 3rd rate Soil, interspersed with
 Alder & Asp. Swamps,

East Core of line between Sec. 30 & 31
 36.00 Set 1st Sec. post in Alder Swamp from which
 @ W. oak 6 in. dia. bears N. 52 E. 51 M. dist.
 & @ Willow 4 " " " S. 4 $\frac{1}{2}$ W. 22 " "
 76.00 Section Corner,

West on Random between Sec. 19 & 30
 75.55 Intersect W. Boundary 246 M. N. of post, whole
 line Except a few chains on the West end
 in Lake or Marsh,

East Core of line between Sec. 19 & 30
 35.55 Set 1st Sec. post in Lake no mound no bearing
 75.55 Section Corner,

West Between Sections 18 & 19
 22.50 Intersect Long Lake where Set Meander post from Mh,
 @ Birch 4 in. dia. bears N. 56 E. 41 M. dist.
 (No other new, the entire line in marsh
 and Lake. January 27th 1835

West Between Sections 7 & 18
 2.00 Enter marsh under water,
 35.00 Intersect Long Lake, & Set Meander post
 Water mark, no mound no bearing

Line in Marsh under water,

West on true line between Sec. 6 & 7
 25.00 Enter Marsh
 40.00 Set Dr. Sec. post in Marsh water 6 feet deep,
 74.90 Intersect West Boundary 4.34 lks. N. of post in
 Marsh — here fixed a corner, for Sec. 6, ~~Sec. 6~~
 6 & 7 in Marsh no bearings Day 28th 1835,

Note, Post cor. for Sec. 6 & 7 T. 37 N. R. 9 W. Town 10
 4.34 lks N. of Cor. to Sec. 6, 1 & 2 T. 37 N. R. 10 W.

Course lks,		Meanders of Lake Michigan Beginning at post N.W. cor. of Township then
S. 45 E, 30.00	In Sec 6	
S. 52 E, 30.00		
S. 48 E, 30.00		
S. 60 E, 6.56	To meander post on line between Sec. 5 & 6	
S. 50 E, 9.00	In Sec. 5,	
S. 52 E, 3.21	to meander post on line between Sec. 5 & 8,	
S. 45 E, 12.00	In Sec. 8,	
S. 51 E, 10.00		
S. 53 E, 35.00		
S. 54 E, 30.00		
S. 38 E, 1.88	to post on line between Sec. 8 & 9	
S. 55 E, 25.00	in Sec. 9	
S. 55 E, 18.52	to post on line between Sec. 9 & 16	
S. 58 E, 15.00	in Sec. 16	
S. 53 E, 30.00		
S. 62 E, 8.42	to post on line between Sec. 15 & 16	
S. 50 E, 25.00	in Sec. 15	

T. 37 N. — R. 9 W. 2nd Mer. Indiana,

Course & Distance	Meanders continued
S. 31 1/2 E. 39.10	To post on line between Secs. 15 & 22
S. 42 E. 30.00	In Sec. 22
S. 50 1/2 E. 25.60	To post on line between Secs. 22 & 23
S. 52 E. 40.00	In Sec. 23
S. 57 E. 15.00	
S. 68 E. 25.60	To post on line between Secs. 23 & 26
S. 60 E. 14.50	In Sec. 26 This distance rejected
S. 61 E. 65.00	In Sec. 25
S. 67 E. 25.15	To post on E. Boundary of Township,
	Meanders of part of Lake in Secs. 7, 18 & 19 beginning at meander post on W. boundary thence along east side of Lake,
S. 74 E. 13.00	In Sec. 19
N. 38 E. 55.00	
N. 15 E. 13.00	
N. 35 1/2 E. 7.00	To post on line between Secs. 18 & 19
N. 4 W. 55.00	In Sec. 18
N. 11 E. 22.00	
West 5.00	
N. 64 W. 9.70	To post on line between Secs. 7 & 18
N. 23 E. 25.00	In Sec. 7
N. 60 W. 19.00	
S. 56 W. 19.00	
S. 39 W. 28.40	to meander post & cor. post on Range line at North end of Lake
	Meanders of Calumet River, left Bank up stream beginning at meander post N. Boundary

J. 37 N. R. 9 M. 2nd Sec. Indiana.

107

<i>N. 77th</i>	<i>29.00</i>	<i>In Sec. 36</i>
<i>West</i>	<i>19.00</i>	
<i>S. 75th</i>	<i>7.13</i>	<i>To post on line between Sec. 35 & 36</i>
<i>N. 68th</i>	<i>5.00</i>	<i>In Sec. 35</i>
<i>N. 87th</i>	<i>25.00</i>	
<i>N. 74th</i>	<i>14.00</i>	
<i>N. 60th</i>	<i>17.00</i>	
<i>West</i>	<i>10.00</i>	
<i>N. 78th</i>	<i>13.37</i>	<i>to post on line between Sec. 34 & 35</i>
<i>N. 81th</i>	<i>19.00</i>	<i>In Sec. 34</i>
<i>West</i>	<i>49.00</i>	
<i>N. 34th</i>	<i>7.00</i>	
<i>N. 39th</i>	<i>8.23</i>	<i>to post on line between Sec. 33 & 34</i>
<i>N. 40th</i>	<i>11.00</i>	<i>In Sec. 33</i>
<i>N. 59th</i>	<i>14.00</i>	
<i>S. 80th</i>	<i>19.00</i>	
<i>S. 75th</i>	<i>26.00</i>	
<i>N. 33th</i>	<i>12.00</i>	
<i>N. 66th</i>	<i>9.00</i>	
<i>N. 87^{1/2}th</i>	<i>1.97</i>	<i>To post on line between Sec. 32 & 33</i>
<i>West</i>	<i>6.00</i>	<i>In Sec. 32</i>
<i>S. 70th</i>	<i>40.00</i>	
<i>N. 60th</i>	<i>25.00</i>	
<i>N. 86th</i>	<i>14.25</i>	<i>To post on line between Sec. 31 & 32</i>
<i>S. 84th</i>	<i>12.00</i>	<i>In Sec. 31</i>
<i>N. 57th</i>	<i>5.00</i>	
<i>S. 76th</i>	<i>6.00</i>	
<i>N. 67th</i>	<i>6.00</i>	
<i>N. 6th</i>	<i>8.00</i>	
<i>N. 51th</i>	<i>11.00</i>	
<i>West</i>	<i>6.00</i>	

G. 37 N. — R. 4 W. 2nd Mer. Indiana,

G. 50 N.	3.00	Lang 29, 1835
G. 10 N.	7.50	
N. 76 N.	10.00	
N. 65 N.	20.00	
N. 16 1/2 N.	5.32	To meander post on Range line W. Boundary

Meanders of Columbia River. Right Bank Down stream. Beginning at meander post on Range line		
S. 69 E.	15.00	On Sec. 31
S. 78 E.	10.00	
S. 63 E.	31.00	
S. 73 E.	9.00	
S. 87 E.	10.00	
N. 65 E.	6.50	To post on line between Sec. 31 & 32

N. 70 E.	9.00	On Sec. 32
G. 73 E.	12.00	
G. 61 E.	13.00	
G. 65 E.	14.00	
G. 53 E.	9.00	
N. 66 E.	10.00	
N. 44 E.	8.00	
G. 87 E.	11.53	To meander post on line between Sec. 32 & 33

S. 67 E.	11.00	On Sec. 33
S. 51 E.	16.00	
E. 104	8.00	
N. 71 E.	5.00	
N. 55 E.	4.00	
N. 40 E.	10.00	
G. 73 E.	16.00	
G. 77 E.	9.00	
G. 55 E.	5.00	
G. 52 E.	7.86	To Yellow Oak corner, on line between Sections 33 & 34

Courses	C. & No	Meanders continued
S. 44 E.	8.00	In Sec. 34
S. 69 E.	12.00	
N. 85 E.	7.00	
N. 67 E.	10.00	
N. 75 E.	17.00	
S. 85 E.	11.00	
S. 82 E.	10.00	
S. 89 E.	9.31	To post on line between Sec. 34 & 35
S. 71 E.	10.00	In Sec. 35
S. 74 E.	15.00	
S. 72 E.	20.00	
S. 78 E.	4.65	To post on South Boundary, Aug 30, 1835

Surveyed January 30th 1835 by
Andrew Burnside
Deft. Surveyor,

I Certify that the foregoing Transcript
field notes of Township 37 North of
Range N. 9 West 2nd Meridian State of
Indiana has been compared with the
original in this office and found to
be correct

William Johnston
Sur. Genl.

Surveyors General's Office
Cincinnati, Dec. 30th 1842

352
11

Survey of the beds of Wolf and George Lakes - Indiana.

Lakes George Wolf

Field Notes

Copy complete 2950 mms
115
114256
\$4.42 + 1.00 for seal \$5.42

Of the Survey of fractional Sections Seven (7) Eighteen (18) and Nineteen (19) in Township Thirty seven (37) North, Range Nine (9) west of 2nd Meridian of Indiana, and fractional Sections One (1) Twelve (12) Thirteen (13) and Twenty four (24) in Township Thirty seven (37) North, Range ten (10) west of 2nd Meridian in Indiana, and fractional section Thirty six (36) Township Thirty eight (38) North, Range ten (10) west of 2nd Meridian of Indiana, in the County of Lake and State of Indiana by Alexander McLeott, Deputy Surveyor, under his contract with the Commissioner of General Land Office bearing date Oct. 23rd A.D. 1875.

Vol. 25 E

Township 37 N. R. 10 W.
West between Sections 13 & 24

- 17.00 to land
18.36 Set meander post in mound from which
a W. Ash 8 in dia. bears S. $143\frac{3}{4}^{\circ}$ E 173 lks dist
" " 16 in " " " N. $103\frac{1}{4}^{\circ}$ E 166 " "
22.30 to water
23.36 Set meander post in water 1 ft deep
40.00 Set 4 post in water $1\frac{1}{2}$ ft deep
68.02 Set post on state line water 3 ft deep
5543 lks north of 155th mile post
Water full of rushes bottom
level and sand except 5 chains on
West side when the muck is 1 ft deep

- West between Sections 12 & 13 T. 37 N. R. 10 W.
18.25 find old meander corner post & witness
23.76 to water
40.00 Set 4 post in water $1\frac{1}{2}$ ft deep
66.90 Set post on state line in water 3 ft deep.
level sand bottom water full of rushes
& grass.

- West between Sections 18 & 12 T. 37 N. R. 10 W.
20.00 Set meander post in mound over charcoal
21.40 to water
34.00 to meadows
40.00 Set 4 post in mound over charcoal
49.00 to water
51.00 Set meander in water 3 ft deep
66.58 Set post on state line from which
an Elm 7 in diam bears N. 86° E. 71 lks dist
" " 20 " " " S. $144\frac{1}{2}^{\circ}$ E. 104 " "
3270 links South of the 158 mile post

Nov. 6th 1875
Alex Voldcott
S. S.

Township 37 N. R. 10 W. Sec. 1 -

- 10.99 West on North line from meander post
to meander post from which
a Burr Oak 6 in diam. bears West 15 lks dist
This meander post is 2130 links West of
East line of Section 1.
This line is on a sand ridge about 3 ft
above water in Lake Michigan

Township 37 N. R. 9 W.

- West between 18 & 19
22.50 Set meander post in mound from which
a Burr Oak 10 in diam bears S. 80 $\frac{1}{2}$ ° E. 119 lks dist
" " " S " " " S. 55° E. 114 " "
27.00 to water
31.00 to marsh
32.00 to water
35.00 to marsh
37.00 to meadow
40.00 Set $\frac{1}{4}$ post from which
an Elm 16 in diam, bears N. 52 $\frac{1}{4}$ ° W. 345 lks dist
" " 16 " " " West 465 " "
43.50 to timber consisting of Elm, Cherry, Sycamore
Ash &c
44.65 Elm 16 in diam.
47.00 to Plowed land
49.00 to timber ridge 100 lks wide
50.00 to water
75.52 to Range line post in water 2 $\frac{1}{2}$ ft deep
filled with rushes & other vegetation
490 lks North of corner of sections 13 & 24
S. 37 N. R. 10 W.

- West between Sections 7 & 18 S. 37 N. R. 9 W.
35.00 Set meander post in mound over
Charcoal
37.00 to water

183

40.00 Set $\frac{1}{4}$ post in water $1\frac{1}{2}$ ft deep
21.00 to meadow
75.39 Set post on Range line in mound over
Charcoal 633 Ws north of corner of
sect. 12 & 13 T. 37 N. R. 10 W.

Nov 10th 1875
Alex Walcott
D.S.

General description

The timber is mostly Elm interspersed
with White & Black Ash, Sugar Cherry
& Oak, the ridges of timber are high &
dry & can be cultivated in fact the settlers
raised corn, potatoes & other garden vegetables
the past summer; the meadow lands are
very prolific, turning out $2\frac{1}{2}$ tons of
hay per acre, the marshes are becoming dryer
every year & in a few more years will be
entirely reclaimed.

Alex Walcott
D.S.

1040
not

I Alexander Walcott Deputy Surveyor do solemnly swear that in pursuance of a contract with the Commissioner of the General Land office, bearing date October 23^d 1875, and in strict conformity to the laws of the United States and with the instructions furnished by the said Commissioner of the General Land office, I have faithfully surveyed fractional sections one (1) Twelve (12) Thirteen (13) and twenty four (24) in Township (37) thirty seven North, Range ten (10) West of the second (2) Meridian, Indiana and fractional sections thirty six (36) Township thirty eight (38) North, Range ten (10) West of Second Meridian and fractional sections seven (7) eighteen (18) nineteen (19) Township thirty seven (37) North, Range nine (9) West of 2nd Second Meridian, Lake County, Indiana, and further solemnly swear that the foregoing are the true & original field notes of such survey.

Alexander Walcott
Deputy Surveyor

Subscribed by said Alexander Walcott Deputy Surveyor & sworn to before me a Notary Public for the County of Cook and State of Illinois this 9th day of December 1875.

James J. Noble
Notary Public



I Seth Godee do solemnly swear
that I will faithfully execute the
duties of Chain Carrier, that I will
level the chain upon uneven ground
& plumb the tally pins by stretching
or dropping the same, that I will
report the true distance to all
notable objects, and the true length
of all lines I assist in measuring to the
best of my skill and ability

Seth Godee

Subscribed and sworn to before me
this 4th day November 1875.

Frank M. Goodrich
Notary Public.



I Frank A. Rossiter do solemnly
swear that I will well and truly perform
the duties of Compass-man, according
to the directions & instructions given
me & to the best of my ability

F. A. Rossiter

Sworn & Subscribed to before me
this 4th day of Nov. 1875

Frank M. Goodrich
Notary Public



I Ludwig Walter do solemnly swear
that I will well and truly perform the
duties of a man according to instructions
given me and to the best of my ability

Ludwig Walter

Subscribed & Sworn to before
me this 4th day of November 1875

Frank M. Goodrich
Notary Public



I Henry Felt do solemnly swear that
I will well and truly perform the duties of
Chairman, that I will level the Chain
upon uneven ground & plumb the bally pins
by sticking or dropping the same, that I will
report the true distance to all notable objects
and the true lengths of all lines to the best
of my skill and ability.

Henry Felt

Subscribed & sworn to before me this 4th
day of November A.D. 1875.

Frank M. Goodrich
Notary Public



State of Illinois }
Cook County } S.S.

I Alexander Wolcott having been appointed Deputy Surveyor of the lands of the of the lands of the United States in sections one (1) twelve (12) thirteen (13) and twenty four. Sp. Thirty Seven (37) North. Range Ten (10) West of 2nd P.M. and section thirty six (36) Sp. Thirty Eight (38) North. Range ten (10) West of 2nd P.M. and sections seven (7) Eighteen (18) & Nineteen (19) Town Thirty Seven (37) North. Range nine (9) West of 2nd P.M. in the County of Lake and State of Indiana. do solemnly swear that I will well and faithfully and to the best of my skill and ability execute the duties confided to me pursuant to a contract with the Commissioner of the General Land office, bearing date the 23rd day of October A.D. 1875. according to the laws of the United States & the instructions received from the Commissioner of the General Land office.

Alex Wolcott

Subscribed & Sworn to before
me this 4th day of November
1875.

Frank M. Goodrich
Notary Public

Notary
Seal

State of Illinois }
Cook County } S.S.

We hereby
certify that we assisted Alexander Walcott,
deputy Surveyor in surveying Grl. Sections one
(1) twelve (12) thirteen (13) and twenty four
(24) Township thirty seven (37) North
Range ten (10) West of Second P.M.
and Grl. Sections thirty six (36) Town-
ship thirty eight (38) North, Range
ten (10) West of 2nd P.M. and Grl.
Sections seven (7) Eighteen (18) and
nineteen (19) in Township thirty seven
(37) North, Range nine (9) West of
2nd P.M. in Lake County, Indiana
and that said survey has been in
all respects, to the best of our knowledge
and belief well and faithfully per-
formed and the boundaries and
monuments planted according to
the instructions of the Com. of the
General Land office & the General
instructions for Government surveys.

Sidwig Walter - Axeman

Henry Galt }
Seth Guice } Chainmen

Frank A. Rossiter - Compass

Subscribed & sworn to before me this
thirtieth day of November A.D. 1875
I being a Notary Public for Cook County
& State of Illinois

John Gray
Notary Public



State of Illinois }
 Cook County } S. S.

Alexander Walcott Deputy
 Surveyor for the United States for the
 Survey of certain lands in Townships Thirty
 Seven (37) Ranges to Nine (9) and Ten
 (10) West of the Second Principal Meridian
 and Township Thirty Eight (38) North Range
 Ten (10) West of the Second P. M. Indiana;
 do solemnly swear that I have performed the
 work entrusted to my care by the Commissioner
 of the General Land ^{Office} Carefully and in ac-
 cordance with the instructions of the Com-
 missioner of the General Land ^{Office} & the
 laws of the United States to the best of my
 skill and ability, and herewith send to
 the Commissioner of the General Land
 Office the results of said Survey, con-
 sisting of the Plats, Field notes, diagrams
 and this report.

And I do further state that said
 lands surveyed by me as such Deputy
 Surveyor all lie within the former mean-
 dered lines of what was denominated on
 the original plat of United States Surveys.
 Small Lakes and the lines thus run as
 meandered lines segregated said small
 Lakes or ponds from the Public domain
 that was surveyed by the United States.

That within said Meandered lines there
 is not and never has been a navigable
 body of water, but has always been a shallow
 bed of water of no sufficient depth to float
 any vessel for Commerce.

That the bed of said so called lake is
 merely a slight depression from the level
 of the surrounding country, which de-
 pression caused waters to collect within
 these areas. Thus forming a shallow pond.

or places which are not permanent in their character or fixed in their character as ponds or lakes. are which are fed by Springs or streams or as ponds or lakes are usually supplied which are of a perennial character.

This affiant having been a long resident of the State of Illinois & having for a period of nearly thirty years had an intimate knowledge of all these ponds situate on and near the state line in Indiana & Illinois states that they are not of a perennial character. are not supplied or supported & never have been by either springs or by streams running into them or any of them.

But are of a fleeting and transitory character. and not set in the frame of nature as permanent bodies of water like the great navigable Lakes or rivers or even as ¹²³⁰² streams or lakes that have sources of perennial supply.

That the settlement of the country the advancement in the cultivation of land in the vicinity & other causes are & have been constantly operating to cause the waters thus collected in these shallow ponds to disappear & that when the waters have so disappeared there remains lands in all particulars, similar to the adjacent lands originally surveyed by the United States.

And this affiant further says that the operation of the causes above named after the settlement of the country since 1836 have caused the waters of these ponds to subside. that the soil ²⁴⁰⁰ covered by the shallow water has year by year produced heavy growths of vegetation and the same has also aided in displacing the waters & forming arable lands & that large quantities of lands aside from the timber

lands included within said meandered lines have thus become reclaimed & fit for cultivation and agricultural purposes.

That the diagram submitted shows the hard firm soil within said meandered lines, the remainder of the area is grown up to rank vegetation in many parts, the line of vegetation extending into the very centre of these shallow ponds.

This affiant found no difficulty in readily extending the lines of survey across the portion covered by shallow water & fixing the corners in accordance with the instructions and Manual of Surveying.

He also states that nearly all the area within said meandered lines is occupied by settlers who are a thrifty class of people, having good improvements & are cultivating and improving the same and affiant as such deputy surveyor has noted on the plat returned of said survey the location of such improvements, also shown the location of same by courses and distances in the field notes of said survey.

Affiant states that from the evidences of the rapid recession of the waters of these shallow ponds that he is of the opinion that very soon the whole area formerly covered by shallow water will be wholly free from water and become the finest kind of lands in most portions thereof.

That this affiant as such deputy surveyor, having carefully and faithfully executed the work entrusted to him by the Honorable Commissioners

of the General Land office hereby sub-
mits the same for approval.

Alex Walcott ²⁷⁰⁰
Deputy Surveyor

Be it remembered that on this 7th day
of December A.D. 1875, personally ap-
peared before me, Alexander Walcott,
personally known to me to be a credible
person, who first being duly sworn, stated
that the foregoing affidavit by him sub-
scribed is true.

In witness whereof I
have hereunto set my hand
and affixed my seal the day
& year above written.

A. S. Bartlett
Notary Public
Chicago



Department of the Interior
General Land Office

January 12th 1876

The foregoing field notes of the surveys of fractional sections seven (7) eighteen (18) and nineteen (19) in Township thirty seven (37) North Range nine (9) West; fractional sections one (1) twelve (12) thirteen (13) and twenty-four (24) in Township thirty-seven (37) North Range ten (10) West; and fractional section thirty-six (36) in Township thirty-eight North Range ten (10) West, all of the 2nd Principal Meridian in the State of Indiana, executed by Alexander Wolcott, under instructions from the Commissioner of the General Land Office, dated October 23, 1875, in the month of November 1875, having been critically examined, the necessary corrections and explanations made the said field notes and the surveys they describe are hereby approved.



S. S. Burdett
Commissioner and
Ex-officio Sur. Genl of Indiana

General Land Office

January 24th 1876

I hereby certify that the foregoing
is a true copy of the original.

[Signature]
Acting Commissioner

Whole Survey 2950 words